

GENERAL PREVENTATIVE APPLICATION GUIDELINES

CUTTINGS ROOTED CLONES 0.5oz/gal 0.5oz/gal

0.5oz/gal Weekly Dip or Foliar Spray

VEGETATIVE CYCLE 0.5-10z/gal

Weekly

Foliar Spray

FLOWER CYCLE

1oz/gal 1-2 x Weekly Foliar Spray



SPIDER MITES


PREVENTATIVE 1oz/gal, once a week.

MILD INFESTATION Dilute 2oz/gal. Apply every 72 hrs until controlled. Then, switch to preventative.

SEVERE INFESTATION 3-4oz/gal every 24-48 hrs up to 5 applications. Switch to mild protocol.

REL HUMIDITY 50-60%

TEMPERATURE Below 70° until controlled



PREVENTATIVE 1oz/gal, once a week.

MILD INFESTATION Dilute 2oz/gal. Apply every 72 hrs until controlled. Then, switch to preventative.

SEVERE INFESTATION 3-4oz/gal every 24-48 hrs up to 5 applications. Switch to mild protocol.

REL HUMIDITY 50-60%

TEMPERATURE Below 70° until controlled



Weekly

Dip

BROAD MITES

PREVENTATIVE 1oz/gal, once a week.

MILD INFESTATION Dilute 2oz/gal. Apply every 72 hrs until controlled. Then, switch to preventative.

SEVERE INFESTATION 3-4oz/gal every 24-48 hrs up to 5 applications. Switch to mild protocol.

REL HUMIDITY 50-60%

TEMPERATURE Below 70° until controlled APHIDS

PREVENTATIVE 1oz/gal, once a week.

MILD INFESTATION Dilute 2oz/gal. Apply every 72 hrs until controlled. Then, switch to preventative.

SEVERE INFESTATION 3-4oz/gal every 24-48 hrs up to 5 applications. Switch to mild protocol. THRIPS

PREVENTATIVE 1oz/gal, once a week.

MILD INFESTATION Dilute 2oz/gal. Apply every 72 hrs until controlled. Then, switch to preventative.

SEVERE INFESTATION

3-4oz/gal every 24-48 hrs up to 5 applications. Switch to mild protocol.

PAGE 1 OF 2



GENERAL PREVENTATIVE APPLICATION GUIDELINES

CUTTINGS ROOTED CLONES 0.5oz/gal 0.5oz/gal

0.5oz/gal Weekly Dip or Foliar Spray

VEGETATIVE CYCLE 0.5-10z/gal

Weekly

Foliar Spray

FLOWER CYCLE 1oz/gal

1-2 x Weekly Foliar Spray



WHITEFLIES

PREVENTATIVE loz/gal, once a week.

MILD INFESTATION Dilute 2oz/gal. Apply every 72 hrs until controlled. Then, switch to preventative.

SEVERE INFESTATION

3-4oz/gal every 24-48 hrs up to 5 applications. Switch to mild protocol.



FUNGUS GNATS

PREVENTATIVE 1oz/gal, once a week.

MILD INFESTATION Dilute 2oz/gal. Apply every 72 hrs until controlled. Then, switch to preventative.

SEVERE INFESTATION 3-4oz/gal every 24-48 hrs up to 5 applications. Switch to mild protocol.

APPLICATION Spray soil surface or dilute into hydro reservoir @ rate of 1 ml/gal.



Weekly

Dip


BOTRYTIS

PREVENTATIVE 1oz/gal, once a week.

MILD INFESTATION Dilute 2oz/gal. Apply every 72 hrs until controlled. Then, switch to preventative.

SEVERE INFESTATION 3-4oz/gal every 24-48 hrs up to 5 applications. Switch to mild protocol.

REL HUMIDITY Below 50



POWDERY MILDEW

PREVENTATIVE 1oz/gal, once a week.

MILD INFESTATION Dilute 2oz/gal. Apply every 72 hrs until controlled. Then, switch to preventative.

SEVERE INFESTATION

3-4oz/gal every 24-48 hrs up to 5 applications. Switch to mild protocol.

REL HUMIDITY Below 50



PREVENTATIVE loz/gal, once a week.

MILD INFESTATION

Dilute 2oz/gal. Apply every 72 hrs until controlled. Then, switch to preventative.

SEVERE INFESTATION

3-4oz/gal every 24-48 hrs up to 5 applications. Switch to mild protocol.

REL HUMIDITY Below 50

PAGE 2 OF 2